

## CONTENTS

<b>O. Auškalnienė, G. Kadžienė, R. Stefanovičienė, B. Jomantaitė.</b> Development of herbicides resistance in <i>Apera spica-venti</i> in Lithuania .....	99
<b>G. Imriz, F. Özdemir, M. S. Karaca, M. N. Taş, İ. Topal, B. Ercan.</b> Biological control potential of rhizosphere bacteria with ACC-deaminase activity against <i>Fusarium culmorum</i> in wheat .....	105
<b>I. Poliškenská, K. Vaculová, O. Jirsa, I. Sedláčková, J. Frydrych.</b> The effect of <i>Fusarium culmorum</i> on yield and grain characteristics of winter wheat cultivars .....	113
<b>S. Janavičienė, A. Mankevičienė, Y. Kochiiaru.</b> The fate of deoxynivalenol and its derivatives in spring wheat whole-grain flour during storage .....	123
<b>M. Holka, J. Bieńkowski.</b> Assessment of toxicity impacts of chemical protection of winter wheat, sugar beet and winter rape on aquatic ecosystems and humans .....	131
<b>M. Almogdad, K. Tamošiūnas, R. Semaškienė.</b> Changes in <i>Sitona lineatus</i> abundance in faba beans as influenced by the air temperature and rainfall in the three decades .....	139
<b>L. Šernaitė, N. Rasiukevičiūtė, E. Dambrauskienė, P. Viškelis, A. Valiuškaitė.</b> Biocontrol of strawberry pathogen <i>Botrytis cinerea</i> using plant extracts and essential oils ....	147
<b>A. Popović, N. Kravić, M. Babić, S. Prodanović, M. Sečanski, V. Babić.</b> Breeding potential of maize landraces evaluated by their testcross performance .....	153
<b>O. K. Akinroluyo, K. Jaškūnė, V. Kemešytė, G. Statkevičiūtė.</b> Drought stress response of Westerwolths ryegrass ( <i>Lolium multiflorum</i> ssp. <i>multiflorum</i> ) cultivars differing in their ploidy level .....	161
<b>A. Blinstrubienė, N. Burbulis, N. Juškevičiūtė, R. Žūkienė.</b> Factors affecting organogenesis of <i>Stevia rebaudiana</i> and <i>in vitro</i> accumulation of steviol glycosides .....	171
<b>X. Hu, J. Chen, L. Zhu.</b> Soil aggregate size distribution and stability of farmland as affected by dry and wet sieving methods .....	179
<b>A. Rachenko, A. M. Rachenko.</b> The variation of the content of dehydrin proteins in the bark of <i>Malus</i> spp. trees differing in winter hardiness in Southern Cisbaikalia conditions .....	185